

SPORTS FLOORING

TARAFLEX®

SPORTS


Gerflor®
theflooringgroup

WHY YOU SHOULD CHOOSE TARAFLEX®

FOR PROTECTION

1

The floor that brings **immediate protection on impact** to all users when falling, diving or sliding on the floor.




Gerflor offers Taraflex® Comfort, a P3 floor with the highest level of comfort on the market.

3 FLOORS FOR CHAMPIONS

Taraflex® technology ensures a long lasting high performance of the products for the **LIFETIME OF THE FLOORS.**



Gerflor guarantees the category P1/P2/P3 after 10 years use.




Study available on demand.

FOR SAFETY

2

Shock absorption **minimizes the force** of impact on the body and reduces long term injury risk.



With a complete range of shock absorption P1/P2/P3, Gerflor provides the right solution and the best safety for users.

4

PARTNER OF MAJOR SPORTS EVENTS





SPORTS FLOORING

TARAFLEX®

SPORTS


Gerflor®
theflooringgroup

A WORLD OF COLOURS AND DESIGN

TARAFLEX® SURFACE / EVOLUTION / PERFORMANCE / COMFORT



6350 - Light Cherry Design / Y = 43,3




6873 - Anthracite / Y = 20,5



6159 - Pink / Y = 19,1



6559 - Spring / Y = 47,1




6830 - Black / Y = 3,1




Create and visualise your surface
thanks to the 3D court designer
on
gerflor.com



6431 - Teal / Y = 19,2




6146 - Coral / Y = 27,8




6557 - Forest / Y = 10,9



6570 - Mint Green / Y = 16,6



6347 - Beige / Y = 39,7



6375 - Oak Design / Y = 27,8



6381 - Maple Design / Y = 38,5



6180 - Red / Y = 9,8



6038 - Terracotta / Y = 19,9




6211 - Gold / Y = 41,5



2404 - London Light Blue / Y = 33,8



3764 - Taupe / Y = 17,9



6758 - Silver Gray / Y = 32,6



6445 - Lagoon / Y = 24,9



6430 - Blue / Y = 8,0


TARAFLEX® MULTI-USE 6.2



8068 - Wood Chocolate / Y = 9,4



4453 - Wood Blue / Y = 17,9



8840 - Wood Black / Y = 17,2



4331 - Wood Natural / Y = 29,9



3708 - Wood Grey / Y = 34,2

TECHNICAL SOLUTIONS

DRY-TEX™ SYSTEM

The all in one moisture solution




Dry-Tex™ System

- ✓ Available with Taraflex® Evolution & Taraflex™ Performance

TARAFLEX® SPORISOL

Solution for renovation work and moisture barrier



Taraflex® Sporisol

TARAFLEX® BATECO

Removable protective layer



Taraflex® Bateco

- ✓ Made from 100% post manufacturing recycled waste

PRODUCT SELECTION GUIDANCE

IPI


PROTECTION Immediate comfort

100%

PROTECTION...

...is a major mechanical property of the sports floor to provide the right level of **immediate comfort** to the users when falling, sliding or diving on the floor: less pains, less bruises, less bone traumatism.

IPI




IPI = IMPACT PROTECTION INDEX

< 50%	low protection
50% < IPI ≤ 80%	medium protection
> 80%	high protection

80%

P1

2.1mm



TARAFLEX®
SURFACE
Protécsol

6.2mm

IPI = 52%



TARAFLEX®
MULTI-USE 6.2

Protécsol D-Max+ CXP HD

7.5mm

IPI = 73%



TARAFLEX®
EVOLUTION

Dry-Tex
SYSTEM

Protécsol D-Max CXP HD

50%


25%

SAFETY Protection against long-term injuries

APPLICATIONS

- Toddlers (0-6 years old)
- Education
- Clubs / Competitions
- Adults / Seniors / Leisure
- Multipurpose

TARAFLEX® MULTI-USE 6.2



TARAFLEX® EVOLUTION



P3

12.5mm

IPI = 88%



TARAFLEX® COMFORT

Protexsol D-Max CXP HD

P2

9mm

IPI = 82%



TARAFLEX® PERFORMANCE

Dry-Tex SYSTEM

Protexsol D-Max CXP HD

SAFETY

Protection against **long term injuries** less shin splints, less tendonitis.

SA%



SA% = SHOCK ABSORPTION (EN 14904)

25% ≤ P1 < 35%

35% ≤ P2 < 45%


45% ≤ P3

35%

45%

SA%

TARAFLEX® PERFORMANCE



TARAFLEX® COMFORT



ASIA: Gerflor Asia

Tel: +86 21 6357 8818 - Fax: +86 21 6357 8998
e-mail: gerflorasial@gerflor.com

AUSTRALIA/NEW ZEALAND: Gerflor Australasia Pty. Ltd
Australia Tel: 1 800 060 785 - New Zealand Tel: 0 800 630 119
e-mail: gerflor@gerflor.com.au

AUSTRIA/SWITZERLAND: Gerflor GmbH
Tel: +43 (0)72 29/70 800-0 - Fax: +43 (0)72 29/70 800-218
e-mail: austria@gerflor.com - switzerland@gerflor.com

BELGIUM/LUXEMBURG: Gerflor Benelux
Tel: +32 (0)3 766 42 82 - Fax: +32 (0)3 766 29 14
e-mail: gerflorbel@gerflor.com

CANADA: Gerflor Canada
Tel: 438 333 0752
e-mail: gerflorcanada@gerflor.com

CHINA: Gerflor Floorings (China) co.Ltd
Tel: +86 21 6357 8818 - Fax: +86 21 6357 8998
e-mail: gerflorchina@gerflor.com

FRANCE: Gerflor
Service Express:
N°Azur : 0 810 569 569
N°Azur fax : 0 810 569 570
e-mail: contactfrance@gerflor.com

GERMANY: Gerflor Mipolam GmbH
Tel: +49 (0)22 41-25 30-0
e-mail: GerflorMipolam@gerflor.com
Kunden-Service
Tel: +49 (0)22 41-25 30 131 - Fax: +49 (0)22 41-25 30 100
e-mail: kundenservice@gerflor.com
SAT Service und Anwendungstechnik
tel: +49 (0)22 41-25 30 555 - Fax: +49 (0)22 41-25 30 550
e-mail: Technik@gerflor.com

IRELAND: Gerflor Ltd
Tel: +353 (0) 42 966 1431 - Fax: +353 (0) 42 966 1759
e-mail: gerflorirl@gerflor.com

ITALY: Gerflor S.p.A.
Tel: +39 02 90 40 10 - Fax: +39 02 90 42 74 84
e-mail: gerfloritalia@gerflor.com

LATIN AMERICA (Brazil): Gerflor América Latina
Tel: +55 11 38 48 20 20 - Fax: +55 11 38 48 20 23
e-mail: gerflor@gerflor.com.br

MIDDLE EAST: Gerflor Middle East
Tel: +966 13 847 1779 - Fax: +966 13 847 1781
e-mail: info@gerflorme.com

NETHERLANDS: Gerflor Benelux
Tel: +31 (0)40 266 17 00 - Fax: +31 (0)40 257 46 89
e-mail: gerflornl@gerflor.com

OTHER COUNTRIES: Gerflor International
Tel: +33 (0)4 74 05 40 00 - Fax: +33 (0)4 74 05 03 13
e-mail: gerflorcontract@gerflor.com

POLAND: Gerflor Polska Sp z o.o
Tel: + 48 61 823 34 01 - Fax: + 48 61 823 34 33
e-mail: info@gerflor.pl

PORTUGAL: Gerflor Iberia, SA
Tel: +351 21 843 95 49 - Fax: +351 21 846 55 44
e-mail: gerflorportugal@gerflor.com

RUSSIA: Gerflor Moscow Office
Tel: + 7 499 783 63 69 / 81 - Fax: + 7 499 783 62 52
e-mail: gerflorrus@mospk.east.ru

SCANDINAVIA: Boide Gerflor Scandinavia a.s.
Tel: + 47 64 95 60 70 - Fax: + 47 64 95 60 80
e-mail: gerflorscand@gerflor.no

SPAIN: Gerflor Iberia, SA
Tel: +34 91 653 50 11 - Fax: +34 91 653 25 85
e-mail: gerfloriberia@gerflor.com

UNITED KINGDOM: Gerflor Ltd
Tel: + 44 (0) 1926 622 600 - Fax: + 44 (0) 1926 401 647
e-mail: contractuk@gerflor.com

USA: Gerflor USA
Tel: 877 437 3567
e-mail: info@gerflorusa.com

Gerflor®

Where Champions Play™

TARAFLEX
SPORTS


CONNOR
SPORTS


SPORT
COURT

Gerflor[®]



Sports Flooring

TARAFLEX[®]
— SPORTS —

TARAFLEX[®]