







jade 26514-36



classic blue 26516-30



slate 26518-72



bamboo 26520-61



claret 26515-96



zinc 26517-54



black 26519-13



ruby 26521-93

IONA

Construction	Axminster
Pile content	80% Wool 20% Nylon – BS 3655
Rows	31.5 per 10cm (8 per inch)
Pitch	27.6 per 10cm (7 per inch)
Pile weight	1180gm m² / 34.8oz sq yd – ISO 8543 (BS 4223)
Backing	Jute/Polyester/Polypropylene
Backing treatment	SBR Fire Retardant Latex
Width	4.00m (13ft 1 ¹ /2") Broadloom — BS 3655
Total carpet thickness	9.00mm +/- 1.00mm (0.35″) ISO 1765 (BS 4223)
Total carpet weight	2236gm m² +/- 5% (65.9oz sq yd) ISO 8543 (BS 4223)
Suitability for use	Heavy Contract
	The above specifications are subject to normal commercial tolerance. A fully detailed specification for this product can be made available by application to The Wilton Carpet Factory Limited.
Flammability and fire classification	Hot Metal Nut Test BS 4790 Radiant Panel ISO 9239-1 Methenamine Pill BS 6307
CE	CE EN 14041 2004 Classification Bfl s1 (B Flooring)
Wheelmark	IMO and US Coast Guard Certified IMO Resolution A 653 (16) IMO Resolution MSC 61(67) Annex 1 Part 2 and Annex 2 IMO Resolution MSC 61(67) Annex 1 Part 5 and Annex 2
Colour fastness	Wet 3-4 (Scale 1-5)
Installation and maintenance	Please refer to the factory for full installation and maintenance advice.



The Wilton Carpet Factory Limited

Minster Street, Wilton, Salisbury Wiltshire SP2 OAY

t 01722 746000 f 01722 742923

e sales@wiltoncarpets.com

www.wiltoncarpets.com

ISO 9001 Quality Assurance Certified

© Copyright The Wilton Carpet Factory Limited All copyright, design rights and intellectual property rights existing in our designs are and will remain the property of The Wilton Carpet Factory Limited. Any infringement of these rights will result in appropriate legal action. Colours are reproduced within the limits of the printing process.

